



1D & 2D



Android



Ndevor



Megapixel





Laser aimer



5.0"

screen





Micro

USB







4500 Micro SD mAh



Camera







Touchscreen









WIFI Dual Bluetooth Band



GPS



drop



Acuscan

Warranty 2 Years





•

Features

Full touchscreen mobile computer.

The MT90 Orca II is an Android mobile computer that packs all of the latest hardware in a modern and user-friendly design. It is a light and durable device with a 5" capacitive touch screen. Equipped with a familiar user interface and the exterior of a consumer phone, the MT90 Orca II is easy to set up and use right out of the box.

Megapixel barcode scanning.

Developed for quick and efficient barcode scanning, the MT90 Orca II ensures maximum productivity. Its megapixel scan engine is built in at the top of the device and can be triggered with a virtual button on the screen or a physical button on the side of the device for easy point-and-shoot scanning.

Reliable all day use with a replaceable battery.

The MT90 Orca II has a 3.8V 4500 mAh battery that allows you to use the device all day without problem. Additionally, the battery is replaceable, allowing you to use a spare battery if needed.

Business-class durability.

The MT90 Orca II is built to withstand dusty environments and inevitable bumps and drops. It has a rating of IP65 and has been drop tested up to 1.5m, or 1.8m with a rubber boot, ensuring longer and more reliable use.

GMS (optional).

Retail

The MT90 Orca II has models with and without Google Mobile Services (GMS). GMS offers integrated Google applications such as Gmail, Google Maps and Google Play Store.

Accessories that match your operations.

A wide range of accessories for the MT90 Orca II are included in the package, namely: USB cable, battery, and AC adapter. Various pistol grips, including both UHF and long-range, holsters, multicharging cradles, communication (USB) cradle and vehicle cradle kit are also available for the MT90 Orca Series.

Suggested industries















Logistics

Events

MT90 Orca II Technical specifications

D-	-	0-	-4-	
Dа	121	L.H	DII.	ne.

Image Sensor

1D All major 1D symbologies

2D All major 2D symbologies

Aiming Laser diode

Illumination White LED (625±10nm)

Performance

Operating System Android 8.1 - GMS

Processor 1.5GHz quad-core 64-bit

Memory RAM 2GB

Memory Flash 16GB

Micro SD card (max. 32GB) Memory Storage Expansion (max.)

Physical

Audio Microphone / speaker

Audio Jack 3.5mm earphone

Battery Type 3.8V, 4500mAh

Buttons Side Keys Volume+, Volume-, Left Scan Key, Right Scan Key, Power Button, Function Key, Keypad (4

Keys)

1280x800 CMOS

Camera 8 megapixels, auto focus, with LED flashlight

Dimensions (mm) $155(L) \times 78.5(W) \times 20.5(H)$ mm

Display 5" full colour (1280×720)

Expansion Slot Micro SD card (max. 32GB)

Expected Battery Life 10 hours

Expected Charge Time 5 hours (charge via AC adapter)

Interfaces Micro USB OTG

10 keys (side keys included) Keypad

Vibrator, speaker and multi-color LED **Notifications**

 $\sqrt{}$ Pogo Pin

Power Supply Input DC5V, 2A

AC100~240V, 50~60Hz **Power Supply Output**

SIM Dual SIM: 1 SIM card, 1 Micro SIM Card

Touch Panel Capacitive touch screen Weight 265g (including battery)

Wireless

WWAN RADIO 2G: GSM (850/900/1800/1900MHz) 3G: WCDMA (B1, B2, B5, B8),TD-SCDMA (B34, B39), CDMA

1x/EVDO (BC0) 4G: TDD-LTE (B38, B39, B40, B41(100m)), FDD-LTE (B1, B2, B3, B5, B7, B8, B2,

B28a&b)

WLAN RADIO IEEE 802.11 a/b/g/n, 2.4GHz and 5GHz

Newland EMEA HQ

+31 (0) 345 87 00 33

info@newland-id.com

newland-id.com

Feel free to contact us or a partner near you

visit newland-id.com/partners

Specifications are subject to change without notice

© Newland EMEA 2023, all rights reserved



MT90 Orca II Technical specifications

WPAN RADIO	Bluetooth 4.2 LE, backward compatible	
GPS	GPS (AGPS), GLONASS	
Environmental		
Operating Temperature	-20°C to 55°C (-4°F to 131°F)	
Storage Temperature	-40°C to 70°C (-40°F to 158°F)	
Humidity	5% to 95% (non-condensing)	
Electro Static Discharge (ESD)	±15 kV (air discharge), ±8 kV (direct discharge)	
Drop	1.5m, 1.8m with rubber boot	
IP Rating	IP65	
Accessories		
Standard	Battery, AC adapter, USB cable, Rubber Boot	
Optional	Charging Cradle, Pistol Grip, Long Range Pistol Grip, UHF Pistol Grip, Wrist Strap, Hand Strap, 3 Slot	
	Cradle, 4 Slot Battery Charger, High Capacity Battery	
Software		
MDM (certified)	Ndevor, SOTI, Airwatch	
Terminal Emulation (compatible)	StayLinked, Ivanti Velocity	
Terminal Emulation (compatible) Configuration Tools	StayLinked, Ivanti Velocity Ndevor	
(a), (b) (a) val for stationary and analysis area. Annual con-Universal resolution		
Configuration Tools		

Standard

© Newland EMEA 2023, all rights reserved

2 years

